ARCOR
EPOXY TECHNOLOGIES

ACIDS

Group	Product	Acetic Acid 10%	Acetic Acid 30%	Benzoic Acid-Sat @3%	Boric Acid-Sat @30%	Butyric Acid 10%	Chromic Acid 10%	Citric Acid 50%	Diglycolic Acid	Fatty Acids	Fluoboric Acid	Formic Acid 10%	Hydrochloric Acid 15%	Hydrochloric Acid 37%	Hydrofluoric Acid	Hydrogen Peroxide to 20%	Hydrochlorous Acid 5%	Lactic Acid to 20%	Maleic Acid 30%	Malic Acid 50%	Methanol Chloride	Methylene Chloride	Nitric Acid 10%	Nitric Acid 30%	Oleic Acid; Oxalic Acid-Sat	Perchloric Acid 35%	Phospheric Acid 35%	Piric Acid-Sat	Succinic Acid-Sat	Sulfiric Acid 25%	Sulfiric Acid 50%	Sulfiric Acid 98%	Tannic Acid; Tartaric Acid-Sat
Multi 3.6	EE-101	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-101 HT	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-111	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1
	EE-121	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1
	EE-121 Prime	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1
	EE-121 HT	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1
	EE-121 HT Prime	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1
	EE-951	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1
	EE-951 HT	*	*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1
ARCOR Floorings	EE-70	*	*	1	4	4	2	3	1	4	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	EE-71	*	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-75	2	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-79	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
ARCOR Rebuild	EE-91	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	1	1	1	1	1	1	2	1
	EE-92	3	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-93	2	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-94	*	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-94 HW	*	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-95	2	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-96	2	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-97	3	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	4	3	1	2	2	3	*	1
	EE-99	3	*	1	2	2	1	1	1	3	4	4	*	*	3	2	3	3	1	*	*	*	3	*	1	4	3	1	2	2	3	*	1
	EE-99 KC	3	*	1	2	2	1	1	1	3	4	4	*	*	3	2	3	3	1	*	*	*	3	*	1	4	3	1	2	2	3	*	1
	2211	3	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	*	*	*	2	3	1	1	1	1	1	1	1	2	1
	8505	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	8506	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	8507	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	8508	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	8509	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	8510	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	8518	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	8526	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	25551	3	*	1	2	2	1	1	1	3	4	4	*	*	3	2	3	3	1	*	*	*	3	*	1	4	3	1	2	2	3	*	1
ARCOR Coatings	EE-10	2	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	2	*	*	2	3	1	1	1	1	1	1	1	1	1
	EE-10.5	2	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	2	*	*	2	3	1	1	1	1	1	1	1	1	1
	EE-11	2	*	1	1	1	1	1	1	1	1	2	4	*	2	1	1	1	1	2	*	*	2	3	1	1	1	1	1	1	1	2	1
	EE-11 Prime	2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	S-20	3	*	1	1	1	1	1	1	1	4	2	4	*	2	1	1	1	1	2	*	*	2	3	1	1	1	1	1	1	1	2	1
	S-20 HT	3	*	1	1	1	1	1	1	1	4	2	4	*	2	1	1	1	1	2	*	*	2	3	1	1	1	1	1	1	1	2	1
	S-26	*	*	1	2	2	1	1	1	2	4	1	2	*	1	1	2	2	1	1	*	*	1	2	1	2	2	1	2	2	2	*	1
	S-30	4	*	*	3	3	1	1	1	2	3	4	*	*	3	1	3	2	1	*	*	*	*	*	*	4	3	1	2	2	3	*	1
	S-30 Prime	4	*	1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1	*	*	*	*	*	*	*	*
	S-30 LV	4	*	*	3	3	1	1	1	2	3	4	*	*	3	1	3	2	1	*	*	*	*	*	*	4	3	1	2	2	3	*	1
	ARCTHANE	*	*	1	3	3	1	3	1	3	4	*	*	*	*	2	3	2	1	*	*	*	*	*	1	4	3	1	3	3	*	*	2
	SPRAYTHANE	*	*	1	3	3	1	3	1	4	4	*	*	*	*	2	3	1	1	*	*	*	*	*	1	4	3	1	3	3	*	*	2
	SPRAYTHANE FL	*	*	1	3	3	1	3	1	4	4	*	*	*	*	2	3	1	1	*	*	*	*	*	1	4	3	1	3	3	*	*	2
	TS-RB	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	2	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	ARCRETE	*	*	1	3	3	1	1	1	3	3	*	*	*	*	2	3	3	1	*	*	*	3	*	1	4	3	1	3	3	3	*	1
	1321	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1
	1321 K	*	*	1	3	4	1	1	1	3	4	*	*	*	*	2	3	3	1	*	*	*	*	*	1	4	3	1	3	3	3	*	1

CAUSTICS

Group	Product	Aluminum Chloride 50%	Ammonia 20%+	Ammonium Chloride 50%	Ammonium Hydroxide 40%	Ammonium Nitrate-Sat	Ammonium Persulfate	Ammonium Sulfate-Sat	Calcium Chloride 50%	Calcium Hydroxide-Sat	Calcium Hypochlorite 15%	Copper Fluoroborate	Ferric Chloride; Ferrous Sulfate	Sodium Benzoate	Sodium Carbonate (Soda Ash)	Sodium Bicarbonate-Sat	Sodium Bisulfate; Sodium Chloride-Sat	Sodium Glutamate	Sodium Hydroxide to 50%	Sodium Hypochlorite to 10%	Sodium Proportionate	Sodium Sulfate; Sulfite-Sat	Trisodium Phosphate-Sat	Zinc Nitrate
Multi 3.6	EE-101	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-101 HT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-111	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-121	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-121 Prime	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-121 HT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-121 HT Prime	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-951	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-951 HT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
ARCOR Floorings	EE-70	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	EE-71	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-75	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-79	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
ARCOR Rebuild	EE-91	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	EE-92	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	EE-93	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	EE-94	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	EE-94 HW	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	EE-95	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	EE-96	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	EE-97	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	EE-99	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	EE-99 KC	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	2211	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	8505	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	8506	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	8507	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	8508	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	8509	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	8510	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	8518	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	8526	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	25551	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
ARCOR Coatings	EE-10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-10.5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	EE-11	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	EE-11 Prime	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	S-20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	S-20 HT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	S-26	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	S-30	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	S-30 Prime	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	S-30 LV	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	2
	ARCTHANE	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	SPRAYTHANE	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	SPRAYTHANE FL	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	TS-RB	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	ARCRETE	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	1321	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3
	1321 K	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	3	1	1	1	3

SOLVENTS

Group	Product	Methanol	Ethanol	Butanol; Propanol	Benzene; Xylene; Toluene	Trichloroethane; Cellosolve	Formaldehyde to 37%	Gasoline; Fuel Oil; Crude Oil	Acetone; MEK; Methylene Chloride
Multi 3.6	EE-101	1	1	1	1	1	1	1	1
	EE-101 HT	1	1	1	1	1	1	1	1
	EE-111	1	1	1	1	1	1	1	1
	EE-121	1	1	1	1	1	1	1	1
	EE-121 Prime	1	1	1	1	1	1	1	1
	EE-121 HT	1	1	1	1	1	1	1	1
	EE-121 HT Prime	1	1	1	1	1	1	1	1
	EE-951	1	1	1	1	1	1	1	1
	EE-951 HT	1	1	1	1	1	1	1	1
ARCOR Floorings	EE-70	*	3	3	3	3	3	2	3
	EE-71	3	2	1	1	1	1	1	3
	EE-75	3	2	1	1	1	1	1	3
	EE-79	*	3	3	3	3	3	2	3
ARCOR Rebuild	EE-91	*	3	3	3	3	3	2	3
	EE-92	3	2	1	1	1	1	1	3
	EE-93	3	2	1	1	1	1	1	3
	EE-94	3	2	1	1	1	1	1	3
	EE-94 HW	3	2	1	1	1	1	1	3
	EE-95	3	2	1	1	1	1	1	3
	EE-96	3	2	1	1	1	1	1	3
	EE-97	3	2	1	1	1	1	1	3
	EE-99	*	3	3	3	3	3	2	3
	EE-99 KC	*	3	3	3	3	3	2	3
	2211	3	2	1	1	1	1	1	3
	8505	3	2	1	1	1	1	1	3
	8506	3	2	1	1	1	1	1	3
	8507	3	2	1	1	1	1	1	3
	8508	3	2	1	1	1	1	1	3
	8509	3	2	1	1	1	1	1	3
	8510	3	2	1	1	1	1	1	3
	8518	3	2	1	1	1	1	1	3
	8526	3	2	1	1	1	1	1	3
	25551	*	3	3	3	3	3	2	3
ARCOR Coatings	EE-10	3	2	1	1	1	1	1	3
	EE-10.5	3	2	1	1	1	1	1	3
	EE-11	3	2	1	1	1	1	1	3
	EE-11 Prime	3	2	1	1	1	1	1	3
	S-20	3	2	1	1	1	1	1	3
	S-20 HT	3	2	1	1	1	1	1	3
	S-26	3	2	1	1	1	1	1	3
	S-30	*	2	2	2	2	2	1	3
	S-30 Prime	*	2	2	2	2	2	1	3
	S-30 LV	*	2	2	2	2	2	1	3
	ARCTHANE	*	3	3	3	3	3	3	3
	SPRAYTHANE	*	3	3	3	3	3	3	3
	SPRAYTHANE FL	*	3	3	3	3	3	3	3
	TS-RB	*	3	3	3	3	3	2	3
	ARCRETE	*	3	3	3	3	3	2	3
	1321	3	2	1	1	1	1	1	3
	1321 K	3	2	1	1	1	1	1	3

KEY **1 = Excellent; Suitable for Immersion** **2 = Very Good; Suitable for Immersion** **3 = Good; Suitable for Secondary Containment** **4 = Fair; Spill / Splash** *** = Not Recommended**