

# Safety Data Sheet ARCOR™ EE-93 ACTIVATOR

Date of Issue: 5/2015

ChemTel ERS / MOD Tel US: 800-255-3924 Outside US: +001-813-248-0585

# 1. Identification of the Substance/Preparation and Company/Undertaking

**Product Manufacturer:** ARCOR Epoxy Inc.

PO Box 273 So. Dennis, MA 02660 U.S.A. Tel: 800-878-9593 / Fax: 888-878-9593

E-mail: Tech@ArcorEpoxy.com / www.ArcorEpoxy.Com

**Product Name:** EE-93 Activator

Product Number: 22133

Product Use: AMINE CURED 100% SOLIDS EPOXY REBUILD

## 2. Composition/Information on Ingredients

Composition/Information on ingredients:

Composition/mormation on ingredients.						
CAS Number	OSHA PEL	ACGIH TVL	OTHER			
477-55-0	Not established	Not establish	ed			
00-51-6	Not established	Not established				
00-51-6	Not established	Not established				
07-13-1	2ppm	2ppm				
06-99-0	1000 ppm	10 ppm				
	477-55-0 00-51-6 00-51-6 07-13-1	CAS Number OSHA PEL  477-55-0 Not established 00-51-6 Not established 00-51-6 Not established 07-13-1 2ppm	CAS Number OSHA PEL ACGIH TVL  477-55-0 Not established Not establish 00-51-6 Not established Not establish 00-51-6 Not established Not establish 07-13-1 2ppm 2ppm			

#### 3. Hazards Identification

Non-hazardous

#### 4. First Aid Measures

Skin: Immediately remove with clean cloth, wash with soap and water. If irritation persists get medical advice.

Ingestion: DO NOT INDUCE VOMITING. Drink lots of water and consult physician immediately.

**Inhalation:** If symptoms occur move to fresh air and consult physician immediately. **Eyes:** Flush with clean water for 15 minutes. Consult Physician if irritation persists.

## 5. Fire-Fighting Measures

Extinguishing Media: Dry Chemical, Carbon Dioxide, Foam, Water Spray

Special Fire Fighting Procedures: Full emergency equipment with self-contained breathing apparatus and full

protective clothing should be worn by firefighters. No skin should be exposed

Unusual Fire and Explosion Hazards: Decomposition and combustion products may be hazardous.

# Safety Data Sheet ARCOR™ EE-93 ACTIVATOR

#### 6. Accidental Release Measures

**Personal Precautions:** Immediately contact emergency personnel. Use suitable protective equipment (section 8). **Environmental Precautions:** Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Methods for Cleaning Up: Absorb with inert material e.g. earth or sand. Sweep into labeled containers. Flush area with

detergent and water.

Waste Disposal: Dispose of in accordance with Federal, State & Local Regulations.

## 7. Handling and Storage

Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage: Store in tightly closed containers in cool dry place. Avoid high temperatures and ignition sources.

### 8. Exposure Controls/Personal Protection

Routes of Entry: Skin, Ingestion, Inhalation

**Health Hazards** 

Skin: Dermal irritation; Eyes: Eye Irritation

**Ingestion**: Gastrointestinal Irritation **Inhalation**: Respiratory Irritation

Signs and Symptoms of Exposure

Skin: Reddening, Swelling, Rash, Blistering, Scaling

**Ingestion**: Dizziness, Weakness

Inhalation: Burning in nose & throat, Chest pains

Eyes: Pain, tearing, Reddening, Swelling

**Control Measures** 

Respiratory Protection: Not required in normal use. NIOSH respirator if spraying

**Ventilation**: When suitable natural ventilation is not available provide local exhaust ventilation especially when spraying. **Other Protective Measures**: Provide all workers with permeation resistant gloves (butyl rubber), safety glasses. Cover as much skin as possible. Do not wear contact lenses while handling.

**Hygiene Practices:** Do not eat, drink, smoke when using. Remove contaminated cloths and wash before reuse. Wash hands and exposed skin with soap and water.

#### 9. Physical/Chemical Characteristics

Flash Point: PMCC 220 F

Flammable Limits: LEL: not available UEL: not available

Boiling Point: Not Applicable Vapor Pressure: Not Applicable Melting Point: Not Applicable Vapor Density: Not Applicable Specific Gravity: 1.07

Evaporation Rate: Negligible Solubility in Water: Slight

Appearance & Odor: Black colored Liquid, Mild odor slight

## 10. Stability and Reactivity Data

Stability: Stable

Stability Conditions To avoid: Not Applicable

Incompatibility (materials to avoid): Strong Oxidizing Agents, acids, bases
Hazardous Decomposition Products: Carbon Monoxide & Irritating Toxic Fumes

Hazardous Polymerization: Will not occur

# Safety Data Sheet ARCOR™ EE-93 ACTIVATOR

## 11. Toxicological Information

Potential acute health effects

Skin: Irritating to skin. May cause sensitization by skin contact.

Eye contact: Irritating to eyes.

**Ingestion**: No known significant effects or critical hazards. **Inhalation**: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Skin: Reddening, Swelling, Rash, Blistering, Scaling

**Ingestion**: Dizziness, Weakness

**Inhalation:** Burning in nose & throat, Chest pains

Eyes: Pain, tearing, Reddening, Swelling
<a href="Potential chronic health effects">Potential chronic health effects</a>

Carcinogenicity: No carcinogenic effect.

Mutagenicity: No mutagenic effect.

Reproductive toxicity: No known significant effects or critical hazards.

# 12. Ecological Information

There is no data on the product itself. The following information is provided on the basis of the individual component data available. The product should not be allowed to enter soil, drains, sewers, ditches and waterways or be deposited where it can affect ground or surface waters. See also sections 5,6,7,9 and 13.

**13. Disposal Considerations:** Non-Hazardous. Dispose of in accordance with Federal, State & Local Regulations.

#### 14. Transportation Information

- \* Non-Hazardous Material
- \* Unregulated
- \* Harmonized Code Activator (Hardener): 2921.29.0000

# 15. Regulatory Information

Other EU regulations

EU statistical classification: 39073000

**US National Regulations** 

SARA 313 toxic chemical notification and release reporting: No products were found.

#### 16. Other Information

HMIS Rating Health (2); Flammability (1); Reactivity (0); Personal Protection (X)

Date of Issue: 5/2015

Date of Previous Issue: 4/2012

## **Disclaimer**

To the best of our knowledge, the information contained herein is accurate. However some of the information presented and conclusions' drawn are derived from sources other than direct test data on the product itself and while ARCOR Epoxy Inc believes such sources to be reliable, the information is provided without warranty regarding its correctness.

Since ARCOR Epoxy Inc has no control over the conditions under which the product will be used, liability will not be assumed to exceed replacement or refund of the purchase price of this product. Except as stated herein, there are no express or implied warranties including warranties of merchantability or fitness for a particular purpose. ARCOR Epoxy Inc assumes no liability for injury or incidental or consequential damage arising out of the storage, handling or use or, disposal of this product.



# Safety Data Sheet ARCOR™ EE-93 BASE

Date of Issue: 5/2015

ChemTel ERS / MOD Tel US: 800-255-3924 Outside US: +001-813-248-0585

# 1. Identification of the Substance/Preparation and Company/Undertaking

Product Manufacturer: ARCOR Epoxy Inc.

PO Box 273 So. Dennis, MA 02660 U.S.A. Tel: 800-878-9593 / Fax: 888-878-9593

E-mail: Tech@ArcorEpoxy.com / www.ArcorEpoxy.Com

Product Name: EE-93 Base Product Number: 22133

Product Use: AMINE CURED 100% SOLIDS EPOXY TOPCOAT

## 2. Composition/Information on Ingredients

Composition/Information on ingredients:

Composition/information on in	CAS Number	OSHA PEL	ACGIH TVL	OTHER
Bisphenol F Epoxy Resin	28064-14-4	Not established	Not establish	ned
Diglycidyl Ether of	14228-73-0	Not established	Not establish	ned

Cylonexane Dimethanol

#### 3. Hazards Identification

Non-hazardous

#### 4. First Aid Measures

Skin: Immediately remove with clean cloth, wash with soap and water. If irritation persists get medical advice.

**Ingestion: DO NOT INDUCE VOMITING.** Drink lots of water and consult physician immediately.

**Inhalation:** If symptoms occur move to fresh air and consult physician immediately. **Eyes:** Flush with clean water for 15 minutes. Consult Physician if irritation persists.

## 5. Fire-Fighting Measures

Extinguishing Media: Dry Chemical, Carbon Dioxide, Foam, Water Spray

Special Fire Fighting Procedures: Full emergency equipment with self-contained breathing apparatus and full

protective clothing should be worn by firefighters. No skin should be exposed

Unusual Fire and Explosion Hazards: Decomposition and combustion products may be hazardous.

### 6. Accidental Release Measures

**Personal Precautions:** Immediately contact emergency personnel. Use suitable protective equipment (section 8). **Environmental Precautions:** Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**Methods for Cleaning Up:** Absorb with inert material e.g. earth or sand. Sweep into labeled containers. Flush area with detergent and water.

Waste Disposal: Dispose of in accordance with Federal, State & Local Regulations

# Safety Data Sheet ARCOR™ EE-93 BASE

#### 7. Handling and Storage

Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage: Store in tightly closed containers in cool dry place. Avoid high temperatures and ignition sources.

### 8. Exposure Controls/Personal Protection

Routes of Entry: Skin, Ingestion, Inhalation

Health Hazards

**Skin**: Dermal irritation; Eyes: Eye Irritation

Ingestion: Gastrointestinal Irritation
Inhalation: Respiratory Irritation
Signs and Symptoms of Exposure

Skin: Reddening, Swelling, Rash, Blistering, Scaling

**Ingestion**: Dizziness, Weakness

**Inhalation**: Burning in nose & throat, Chest pains

Eyes: Pain, tearing, Reddening, Swelling

**Control Measures** 

Respiratory Protection: Not required in normal use. NIOSH respirator if spraying

**Ventilation**: When suitable natural ventilation is not available provide local exhaust ventilation especially when spraying. **Other Protective Measures**: Provide all workers with permeation resistant gloves (butyl rubber), safety glasses. Cover as much skin as possible. Do not wear contact lenses while handling.

**Hygiene Practices:** Do not eat, drink, smoke when using. Remove contaminated cloths and wash before reuse. Wash hands and exposed skin with soap and water.

#### 9. Physical/Chemical Characteristics

Flash Point: 480 F PMCC

Flammable Limits: LEL: not available UEL: not available

Boiling Point: Not Applicable Vapor Pressure: Not Applicable Melting Point: Not Applicable Vapor Density: Not Applicable Specific Gravity: 1.65

Evaporation Rate: Negligible Solubility in Water: Slight

Appearance & Odor: Gray Liquid, Mild odor

### 10. Stability and Reactivity Data

Stability: Stable

Stability Conditions To avoid: Not Applicable

Incompatibility (materials to avoid): Strong Oxidizing Agents, acids, bases
Hazardous Decomposition Products: Carbon Monoxide & Irritating Toxic Fumes

Hazardous Polymerization: Will not occur

#### 11. Toxicological Information

Potential acute health effects

Skin: Irritating to skin. May cause sensitization by skin contact.

Eye contact: Irritating to eyes.

**Ingestion**: No known significant effects or critical hazards. **Inhalation**: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Skin: Reddening, Swelling, Rash, Blistering, Scaling

**Ingestion**: Dizziness, Weakness

**Inhalation**: Burning in nose & throat, Chest pains

# Safety Data Sheet ARCOR™ EE-93 BASE

## 11. Toxicological Information (continued)

Eyes: Pain, tearing, Reddening, Swelling
Potential chronic health effects

Carcinogenicity: No carcinogenic effect.

Mutagenicity: No mutagenic effect.

Reproductive toxicity: No known significant effects or critical hazards.

#### 12. Ecological Information

There is no data on the product itself. The following information is provided on the basis of the individual component data available. The product should not be allowed to enter soil, drains, sewers, ditches and waterways or be deposited where it can affect ground or surface waters. See also sections 5,6,7,9 and 13.

**13. Disposal Considerations:** Non-Hazardous. Dispose of in accordance with Federal, State & Local Regulations.

# 14. Transportation Information

- \* Non-Hazardous Material
- \* Unregulated
- \* Harmonized Code Base (Resin): 3907.30.0000

# 15. Regulatory Information

Other EU regulations

EU statistical classification: 39073000

**US National Regulations** 

SARA 313 toxic chemical notification and release reporting: No products were found.

## 16. Other Information

HMIS Rating Health (2); Flammability (1); Reactivity (0); Personal Protection (X)

Date of Issue: 5/2015

Date of Previous Issue: 4/2012

#### **Disclaimer**

To the best of our knowledge, the information contained herein is accurate. However some of the information presented and conclusions' drawn are derived from sources other than direct test data on the product itself and while ARCOR Epoxy Inc believes such sources to be reliable, the information is provided without warranty regarding its correctness.

Since ARCOR Epoxy Inc has no control over the conditions under which the product will be used, liability will not be assumed to exceed replacement or refund of the purchase price of this product. Except as stated herein, there are no express or implied warranties including warranties of merchantability or fitness for a particular purpose. ARCOR Epoxy Inc assumes no liability for injury or incidental or consequential damage arising out of the storage, handling or use or, disposal of this product.